

## Assembly Instructions



(W x D x H) 1.80m x 0.90m x 0.30m

Product Name: Aquatic Planter

Pressure Treated products should not be treated with any other products for the first month.

**PLEASE KEEP THESE INSTRUCTIONS**

Zest4Leisure

01352 752555 option 1 – [sales@zest4leisure.co.uk](mailto:sales@zest4leisure.co.uk)




# **Aquatic Planter Assembly Instructions**

Requires 2 person assembly. All screw holes to be pre-drilled.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit.

Aquatic Planter Pack List		
Item	Description	Quantity
A	End Panel	2
B	Side Panel	2
C	Long Capping Trim	2
D	Short Capping Trim	2
	Liner	1

Fixings		
	60mm Screws	30



**Please take a few moments to check all pack contents listed.**

**Please contact “Zest4Leisure” directly if any of the pack contents are damaged or missing. Contact telephone: 01352 752555 option 1 or email: [sales@zest4leisure.co.uk](mailto:sales@zest4leisure.co.uk)**

**Assembly requires 2 persons. All screw holes to be pre-drilled.**

**Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit.**

1. Interlock End Panels A with Side Panels B (Figs.1a & 1b) to form a rectangular planter.
2. Secure in position using 8no Screws - 2no per internal corner (Fig.2a) and 12no screws - 3no per external corner (Fig.2b).
3. Place Liner into planter ensuring edges of liner are flush with outside edge of planter. Position Long Capping Trim C, ensuring internal face is flush with planter body and rounded corner outermost. Fix in position as shown in Fig.3a using 3no Screws.

Fix Short Capping Trim D as shown (circled) in Fig 3b using 2no Screws.

Similarly fix remaining capping trims.


**Aquatic Planter is now complete.**



1a



1b



2a



2b



3a



3b

